FEBS Letters 337 (1994) 320–321

Contents to volume 337

Guidelines for FEBS Fellowships 1

Hypotheses

Conformational rearrangements required of the V_3 loop of HIV-1 gp120 for proteolytic cleavage and infection (FEBS 13492) *M.E. Johnson, Z. Lin, K. Padmanabhan, A. Tulinsky, M. Kahn* 4

Import of a mitochondrial presequence into *P. denitrificans*: Insight into the evolution of protein transport (FEBS 13493) *D. Roise, M. Maduke* 9

Minireview

Protein uptake into *E. coli* during *Bdellovibrio* infection: A process of reverse secretion? (FEBS 13499) *M.H. Saier Jr.* 14

Research Letters

Limited diffusibility of gene products directed by a single nucleus in the cytoplasm of multinucleated myofibres (FEBS 13489) *T. Ono, K. Ono, K. Mizukawa, T. Ohta, T. Tsuchiya, M. Tsuda* 18

A brain-specific γ subunit of G protein freed from the corresponding β subunit under non-denaturing conditions (FEBS 13484) *R. Morishita, K. Kato, T. Asano* 23

Production of bioactive gastrin from the non-endocrine cell lines CHO and COS-7 (FEBS 13494) *N. Hayashi, T. Kayo, K. Sugano, T. Takeuchi* 27

Replication of adenovirus DNA in vitro is ATP-independent (FEBS 13495) *R. Pronk, Wim Van Driel, P.C. Van der Vliet* 33

Determination of the number of detergent molecules associated with the reaction center protein isolated from the photosynthetic bacterium *Rhodopseudomonas viridis*: Effects of the amphiphilic molecule 1,2,3-heptanetriol (FEBS 13498) *P. Gast, P. Hemelrijk, A.J. Hoff* 39

Intracellular free calcium level and its response to cAMP stimulation in developing *Dictyostelium* cells transformed with jellyfish apoaequorin cDNA (FEBS 13468) *S. Saran, H. Nakao, M. Tasaka, H. Iida, F.I. Tsuji, V. Nanjundiah, I. Takeuchi* 43

Presence of gene expression of vitamin D receptor and 24-hydroxylase in OK cells (FEBS 13478) *E. Ishimura, S. Shoji, H. Koyama, M. Inaba, Y. Nishizawa, H. Morii* 48

A novel plant glutathione peroxidase-like protein provides tolerance to oxygen radicals generated by paraquat in *Escherichia coli* (FEBS 13485) *D. Holland, Z. Faltin, A. Perl, G. Ben-Hayyim, Y. Eshdat* 52

Mitochondrial ATP hydrolysis and ATP depletion in thymocytes and Ehrlich ascites carcinoma cells (FEBS 13486) *B.V. Chernyak, V.N. Dedov, V.L. Gabai* 56

Processing of prodynorphin by the prohormone convertase PC1 results in high molecular weight intermediate forms: Cleavage at a single arginine residue (FEBS 13490) *A. Dupuy, I. Lindberg, Y. Zhou, H. Akil, C. Lazure, M. Chrétien, N.G. Seidah, R. Day* 60

The transglycosylation reaction of cyclodextrin glucanotransferase is operated by a Ping-Pong mechanism (FEBS 13496) *A. Nakamura, K. Haga, K. Yamane* 66

Cyclic AMP downregulates c-*myc* expression by inhibition of transcript initiation in human B-precursor Reh cells (FEBS 13491) *K.B. Andersson, K. Taskén, H.K. Blomhoff* 71

Ionic channel activity induced by fusion of *Rhodospirillum rubrum* chromatophores with a planar bilayer lipid membrane (FEBS 13487) *Y.N. Antonenko, T.I. Rokitskaya, E.A. Kotova, A.S. Taisova* 77

Isolation and characterization of a gene for a ryanodine receptor/calcium release channel in *Drosophila melanogaster* (FEBS 13480) *H. Takeshima, M. Nishi, N. Iwabe, T. Miyata, T. Hosoya, I. Masai, Y. Hotta* 81

Structure of partially-activated *E. coli* heat-labile enterotoxin (LT) at 2.6 Å resolution (FEBS 13497) *E.A. Merritt, S.E. Pronk, T.K. Sixma, K.H. Kalk, B.A.M. van Zanten, W.G.J. Hol* 88

Molecular cloning, nucleotide sequence and expression of a *Sulfolobus solfataricus* gene encoding a class II fumarase (FEBS 13500) *S. Colombo, M. Grisa, P. Tortora, M. Vanoni* 93

Both type I and type II interferons down-regulate human tumor necrosis factor receptors in human hepatocellular carcinoma cell line Hep G2: Role of protein kinase C (FEBS 13502) *B.B. Aggarwal, R. Pandita* 99

Electrons generated by photosystem II are utilized by an oxidase in the absence of photosystem I in the cyanobacterium *Synechocystis* sp. PCC 6803 (FEBS 13504) *W.F.J. Vermaas, G. Shen, S. Styring* 103

Modifications induced by acylphosphatase in the functional properties of heart sarcolemma Na^+,K^+ pump (FEBS 13501) *P. Nassi, C. Nediani, C. Fiorillo, E. Marchetti, G. Liguri, G. Ramponi* 109

The human HIP gene, overexpressed in primary liver cancer encodes for a C-type carbohydrate binding protein with lactose binding activity (FEBS 13509) *L. Christa, M. Felin, O. Morali, M.-T. Simon, C. Lasserre, C. Brechot, A.-P. Sève* 114

Errata and Corrigenda 119

Research Letters

Monomeric and dimeric forms of cholesterol esterase from *Candida cylindracea*: Primary structure, identity in peptide patterns, and additional microheterogeneity (FEBS 13459) *R. Kaiser, M. Erman, W.L. Duax, D. Ghosh, H. Jörnvall* 123

The role of the autoinhibitory domain in differential metal ion activation of calmodulin-stimulated phosphatase (FEBS 13508) *N. Yokoyama, J.H. Wang* 128

Recombinant soluble urokinase receptor as a scavenger for urokinase-type plasminogen activator (uPA): Inhibition of proliferation and invasion of human ovarian cancer cells (FEBS 13505) *O. Wilhelm, U. Weidle, S. Höhl, P. Rettenberger, M. Schmitt, H. Graeff* 131

Assembly of Alzheimer-like filaments from full-length tau protein (FEBS 13510) *R.A. Crowther, O.F. Olesen, M.J. Smith, R. Jakes, M. Goedert* 135

Conformations of the alternating $(C\text{-}T)_n$ sequence under neutral and low pH (FEBS 13511) *T.N. Jaishree, A.H.-J. Wang* 139

Elucidation of the poly-L-proline binding site in *Acanthamoeba* profilin I by NMR spectroscopy (FEBS 13512) *S.J. Archer, V.K. Vinson, T.D. Pollard, D.A. Torchia* 145

Isolation of a cDNA clone specifying rat chaperonin 10, a stress-inducible mitochondrial matrix protein synthesised without a cleavable presequence (FEBS 13514) *M.T. Ryan, N.J. Hoogenraad, P.B. Høj* 152

Cloning and sequence analysis of a cDNA encoding rice glutaredoxin (FEBS 13513) *K. Minakuchi, T. Yabushita, T. Masumura, K. Ichihara, K. Tanaka* 157

Positive and negative regulatory elements are involved in transcriptional control of the rat glucokinase gene in the insulin producing cell line HIT M2.2.2 (FEBS 13515) *I.B. Leibiger, R. Walther, U. Pett, B. Leibiger* 161
Isoforms of cellular fibronectin and tenascin in amniotic fluid (FEBS 13516) *A. Linnala, H. von Koskull, I. Virtanen* 167
The kinetics of conformational changes of α_2-macroglobulin determined by time resolved X-ray solution scattering (FEBS 13517) *H. Arakawa, T. Urisaka, H. Tsuruta, Y. Amemiya, H. Kihara, A. Ikai* 171
Noncanonical Oct-sequences are targets for mouse Oct-2B transcription factor (FEBS 13520) *A.G. Stepchenko* 175
Nitric oxide donor GEA 3162 inhibits endothelial cell-mediated oxidation of low density lipoprotein (FEBS 13519) *U. Malo-Ranta, S. Ylä-Herttuala, T. Metsä-Ketelä, O. Jaakkola, E. Moilanen, P. Vuorinen, T. Nikkari* 179
Regulation of the 28 kDa heat shock protein by retinoic acid during differentiation of human leukemic HL-60 cells (FEBS 13506) *N.L. Spector, P. Mehlen, C. Ryan, L. Hardy, W. Samson, H. Levine, L.M. Nadler, N. Fabre, A.-P. Arrigo* 184
Ribosome-messenger recognition in the absence of the Shine-Dalgarno interactions (FEBS 13522) *N.V. Tzareva, V.I. Makhno, I.V. Boni* 189
Contribution of salt bridge in the protease inhibitor SSI (*Streptomyces* subtilisin inhibitor) to its inhibitory action (FEBS 13523) *S. Kojima, K. Fujimura, I. Kumagai, K.-i. Miura* 195
Molecular cloning of a novel protein-tyrosine phosphatase containing a membrane-binding domain and GLGF repeats (FEBS 13524) *K. Maekawa, N. Imagawa, M. Nagamatsu, S. Harada* 200
Polarity conserved positions in transmembrane domains of G-protein coupled receptors and bacteriorhodopsin (FEBS 13525) *D. Zhang, H. Weinstein* 207
Site-specific labelling of the oligosaccharide chains of antibodies (FEBS 13527) *U. Schwarz, G. Wunderlich, R. Brossmer* 213
Comparison of the binding sites of plant ferredoxin for two ferredoxin-dependent enzymes (FEBS 13530) *A.R. De Pascalis, P. Schürmann, H.R. Bosshard* 217
Induction of phagocytic activity of M1 cells by an inhibitor of vacuolar H^+-ATPase, bafilomycin A_1 (FEBS 13503) *K. Kinoshita, H. Hidaka, S. Ohkuma* 221
Spectral and thermodynamic properties of the two hemes of the D1D2cytochrome *b-559* complex of spinach (FEBS 13531) *V.A. Shuvalov, U. Schreiber, U. Heber* 226
Ion permeability induced in artificial membranes by the ATP/ADP antiporter (FEBS 13532) *I.M. Tikhonova, A.Y. Andreyev, Y. Antonenko, A.D. Kaulen, A.Y. Komrakov, V.P. Skulachev* 231
Trypsin induces Ca^{2+}-activated Cl^- currents in *X. laevis* oocytes (FEBS 13535) *M.E. Durieux, M.N. Salafranca, K.R. Lynch* 235
The 20S proteasome mediates the degradation of mouse and yeast ornithine decarboxylase in yeast cells (FEBS 13537) *E. Mamroud-Kidron, Y. Rosenberg-Hasson, E. Rom, C. Kahana* 239
Calcium sensing by human medullary thyroid carcinoma cells (FEBS 13536) *P. Ridefelt, Y.-J. Liu, J. Rastad, G. Åkerström, E. Gylfe* 243
1α-Hydroxyvitamin D_3 inhibits Type II collagen-induced arthritis in rats (FEBS 13540) *M. Tsuji, K. Fujii, T. Nakano, Y. Nishii* 248
Phospholipase D activity of isolated rat brain plasma membranes (FEBS 13533) *J.N. Kanfer, D. McCartney* 251
Escherichia coli P_{II} protein: purification, crystallization and oligomeric structure (FEBS 13534) *S.G. Vasudevan, C. Gedye, N.E. Dixon, E. Cheah, P.D. Carr, P.M. Suffolk, P.D. Jeffrey, D.L. Ollis* 255
Cholinergic differentiation of cultured sympathetic neurons induced by retinoic acid: Induction of choline acetyltransferase-mRNA and suppression of tyrosine hydroxylase-mRNA levels (FEBS 13538) *M. Kobayashi, I. Matsuoka, K. Kurihara* 259
Does a synthetic peptide containing the leucine-zipper domain of c-myb form an α-helical structure in solution? (FEBS 13539) *A. Ebneth, K. Adermann, H. Wolfes* 265
Red edge excitation shifts of crystallins and intact lenses: A study of segmental mobility and inter-protein interactions (FEBS 13542) *S.C. Rao, C.M. Rao* 269
Small GTP-binding proteins of squid photoreceptor: Interaction with photoactivated rhodopsin (FEBS 13543) *V.M. Petrov, I.D. Artamonov, V.M. Lipkin* 274
Anaesthetic phencyclidine, blocker of the ATP-sensitive potassium channels (FEBS 13544) *Y.M. Kokoz, A.E. Alekseev, A.A. Povzun, A.F. Korystova, H. Peres-Saad* 277
Affinity purification of GTPase proteins from oat root plasma membranes using biotinylated GTP (FEBS 13518) *A.H. de Boer, E. van Hunnik, H.A.A.J. Korthout, N.J.A. Sedee, M. Wang* 281
Tissue specific membrane association of α1T, a truncated form of the α1 subunit of the Na pump (FEBS 13526) *J.C. Allen, T.A. Pressley, T. Odebunmi, R.M. Medford* 285
The novel hexapeptide motif found in the acyltransferases LpxA and LpxD of lipid A biosynthesis is conserved in various bacteria (FEBS 13546) *R. Vuorio, T. Härkönen, M. Tolvanen, M. Vaara* 289
Trypanosoma cruzi epimastigote forms possess a Ca^{2+}– calmodulin dependent protein kinase (FEBS 13545) *S.B. Ogueta, A. Solari, M.T. Téllez-Iñón* 293
Succinic acid monomethyl ester protects rat pancreatic islet secretory potential against interleukin-1β (IL-1β) without affecting glutamate decarboxylase expression or nitric oxide production (FEBS 13551) *D.L. Eizirik, N. Welsh, A. Niemann, L.A. Velloso, W.J. Malaisse* 298
Chemical synthesis and biological activity of a novel antibacterial peptide deduced from a pig myeloid cDNA (FEBS 13557) *P. Storici, M. Scocchi, A. Tossi, R. Gennaro, M. Zanetti* 303

Book Reviews 308

Booklist No 117 312

Corrigenda 315

Author Index to Volume 337 316

Contents to Volume 337 319